ELSEVIER

Discrete Mathematics 169 (1997) 299–300

DISCRETE MATHEMATICS

Author index to volume 169 (1997)

Abrams, A., The kth upper chromatic number of the line (*Note*) (1–3) 157–162
Acenjian, see X.-R. Yong (1–3) 293–298
Banaszczyk, W., see S. Sevast'janov (1–3) 145–152
Banković, D., General reproductive solutions of Postian equations (*Note*) (1–3) 163–168
Ben-Israel, A., see X. Tang (1–3) 279–282
Berge, C. and J.-L. Fouquet, On the optimal transversals of the odd cycles (*Note*) (1–3) 169–175
Borodin, O.V., A new proof of Grünbaum's 3 color theorem (*Note*) (1–3) 177–183
Boukliev, I.G., New bounds for the minimum length of quaternary linear codes of dimension five (*Note*) (1–3) 185–192
Brinkmann, G. and E. Steffen, 3- and 4-critical graphs of small even order (*Note*) (1–3) 193–197
Brouwer, A.E. and H.M. Mulder, The vertex connectivity of a $\{0, 2\}$-graph equals its degree (*Communication*) (1–3) 153–155
Brualdi, R.A. and J.A. Dias da Silva, A retract characterization of posets with the fixed-point property (*Note*) (1–3) 199–203
Cai, M.-C., Connected $[k, k+1]$-factors of graphs (1–3) 1– 16
Cameron, K., Coloured matchings in bipartite graphs (*Note*) (1–3) 205–209
Chang, G.J., see D. Kuo (1–3) 121–131
Chen, B., Parametric Möbius inversion formulas (*Note*) (1–3) 211–215
Clements, G.F., The cubical poset is additive (1–3) 17– 28
Collins, K.L. and L.B. Krompart, The number of Hamiltonian paths in a rectangular grid (1–3) 29– 38
de Caen, D., A lower bound on the probability of a union (*Note*) (1–3) 217–220
Dias da Silva, J.A., see R.A. Brualdi (1–3) 199–203
Dong, F.M. and K.M. Koh, On graphs in which any pair of colour classes but one induces a tree (1–3) 39– 54
Etzion, T., Optimal constant weight codes over Z_k and generalized designs (1–3) 55– 82
Fouquet, J.-L., see C. Berge (1–3) 169–175
Galeana-Sánchez, H., A characterization of normal fraternally orientable perfect graphs (*Note*) (1–3) 221–225
Gourdon, X. and H. Prodinger, A generating function approach to random subgraphs of the n-cycle (*Note*) (1–3) 227–232
Griggs, J.R. and Y.-C. Lin, The maximum sum of degrees above a threshold in planar graphs (*Note*) (1–3) 233–243
Grossman, J.W., Dominating sets whose closed stars form spanning trees (1–3) 83– 94
Gurvich, V. and L. Khachiyan, On the frequency of the most frequently occurring variable in dual monotone DNFs (*Note*) (1–3) 245–248
Khachiyan, L., see V. Gurvich (1–3) 245–248
Koh, K.M., see F.M. Dong (1–3) 39– 54
Korzhik, V.P., A tighter bounding interval for the 1-chromatic number of a surface (1–3) 95–120
Krompart, L.B., see K.L. Collins (1–3) 29– 38
Kuo, D., G.J. Chang and Y.H.H. Kwong, Cordial labeling of mK_n (1–3) 121–131
Kwong, Y.H.H., see D. Kuo (1–3) 121–131
Lin, Y.-C., see J.R. Griggs (1–3) 233–243
Liu, X. and B. Wei, A generalization of Bondy's and Fan's sufficient conditions for Hamiltonian graphs (*Note*) (1–3) 249–255

Liu, X., Lower bounds of length of longest cycles in graphs involving neighborhood unions (1–3) 133–144
Macula, A.J., Two applications of separating systems to nonadaptive procedures (*Note*) (1–3) 257–262
Mulder, H.M., see A.E. Brouwer (1–3) 153–155
Ono, K., Odd values of the partition function (*Note*) (1–3) 263–268
Prodinger, H., see X. Gourdon (1–3) 227–232
Riis, S., Bootstrapping the primitive recursive functions by only 27 colors (*Note*) (1–3) 269–272
Sevast'janov, S. and W. Banaszczyk, To the Steinitz lemma in coordinate form (1–3) 145–152
Stacho, L., A sufficient condition guaranteeing large cycles in graphs (*Note*) (1–3) 273–277
Steffen, E., see G. Brinkmann (1–3) 193–197
Talip, see X.-R., Yong (1–3) 293–298
Tang, X. and A. Ben-Israel, Two consequences of Minkowski's 2^n theorem (*Note*) (1–3) 279–282
Tomescu, I., On the number of trees having k edges in common with a graph of bounded degrees (*Note*) (1–3) 283–286
Webb, B.S., Orbits of infinite block designs (*Note*) (1–3) 287–292
Wei, B., see X. Liu (1–3) 249–255
Yong, X.-R., Talip and Acenjian, The numbers of spanning trees of the cubic cycle C_N^3 and the quadruple cycle C_N^4 (*Note*) (1–3) 293–298